



USER GUIDE- LED LIGHTED MIRROR




IF IN DOUBT ABOUT FITTING THIS PRODUCT, PLEASE CONSULT A QUALIFIED ELECTRICIAN

IMPORTANT

PLEASE READ THE INSTRUCTIONS BEFORE SET UP AND INSTALLATION

COMPONENT PARTS AND FITTINGS



Mirror



Screw & Wall plug x 4
(Included in pack)



Wire nut x 3
(Included in pack)

Suggested Tools:



Screw driver



Drill

Safety Warning

Safety:

- We suggest you spend a short time reading the instruction leaflet
- Carefully check that you have all the parts before beginning assembly.
- Keep small parts and fittings out of children's reach and keep children well away from construction area, as the unassembled product contains small parts, which could present a choking hazard.
- We suggest you retain these instructions for future reference.
- This appliance can be used by adults ONLY.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

Caution:

- In order to avoid overheating, do not cover the mirror.
- Switch off the mains supply and remove the appropriate fuse or switch off the appropriate circuit breaker before commencing installation.
- Make sure that there is no danger that the cord or extension cord is inadvertently be pulled or cause anyone to trip when in use.

Assembly/User Instruction

Please read all instructions carefully. Before you proceed to install, make sure that the power supply is turned off and remains off until installation is complete.

Please note that each part has been assigned a number and proceed in a numerical order.





STEP1. Mark the position of the hanging screw.




STEP2. Fix the screw.


STEP3. Connect to the main supply



STEP4. Hang up the Mirror on the wall



Installation Dimensions:



Can adjust three kinds of color temperature.
 Press once to change color temp.and on-off.
 Press and hold switch for dimming the lumens.

MODEL	A (inch)	B (inch)	C (inch)	D (inch)	E (inch)	F (inch)	G (inch)	Color Temperature	LED Length (inch)	Drive Wattage
MRE61830BK	18	30	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	96.8	72W
MRE61830BR	18	30	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	96.8	72W
MRE61836BK	18	36	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	109.4	72W
MRE61836BR	18	36	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	109.4	72W
MRE62030BK	20	30	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	101.9	72W
MRE62030BR	20	30	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	101.9	72W
MRE62036BK	20	36	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	113.3	72W
MRE62036BR	20	36	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	113.3	72W
MRE62040BK	20	40	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	121.6	72W
MRE62040BR	20	40	1.69	9.8	17.7	10.8	18.7	4200K/3000K/6400K	121.6	72W
MRE62430BK	24	30	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	109.4	72W
MRE62430BR	24	30	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	109.4	72W
MRE62436BK	24	36	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	121.6	72W
MRE62436BR	24	36	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	121.6	72W
MRE62440BK	24	40	1.69	17.7	25.6	18.7	26.6	4200K/3000K/6400K	129.1	72W
MRE62440BR	24	40	1.69	17.7	25.6	18.7	26.6	4200K/3000K/6400K	129.1	72W

MRE62730BK	27	30	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	116.1	72W
MRE62730BR	27	30	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	116.1	72W
MRE62736BK	27	36	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	127.1	72W
MRE62736BR	27	36	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	127.1	72W
MRE62740BK	27	40	1.69	17.7	25.6	18.7	26.6	4200K/3000K/6400K	135.8	72W
MRE62740BR	27	40	1.69	17.7	25.6	18.7	26.6	4200K/3000K/6400K	135.8	72W
MRE63030BK	30	30	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	121.6	72W
MRE63030BR	30	30	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	121.6	72W
MRE63036BK	30	36	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	133	72W
MRE63036BR	30	36	1.69	17.7	17.7	18.7	18.7	4200K/3000K/6400K	133	72W
MRE63040BK	30	40	1.69	17.7	25.6	18.7	26.6	4200K/3000K/6400K	141.7	72W
MRE63040BR	30	40	1.69	17.7	25.6	18.7	26.6	4200K/3000K/6400K	141.7	72W
MRE63048BK	30	48	1.69	17.7	33.5	18.7	34.5	4200K/3000K/6400K	157.4	72W
MRE63048BR	30	48	1.69	17.7	33.5	18.7	34.5	4200K/3000K/6400K	157.4	72W
MRE63072BK	30	72	1.69	17.7	49.2	18.7	50.2	4200K/3000K/6400K	204.3	72W
MRE63072BR	30	72	1.69	17.7	49.2	18.7	50.2	4200K/3000K/6400K	204.3	72W
MRE63636BK	36	36	1.69	25.6	25.6	26.6	26.6	4200K/3000K/6400K	145.2	72W
MRE63636BR	36	36	1.69	25.6	25.6	26.6	26.6	4200K/3000K/6400K	145.2	72W
MRE63648BK	36	48	1.69	25.6	25.6	26.6	26.6	4200K/3000K/6400K	167.3	72W
MRE63648BR	36	48	1.69	25.6	25.6	26.6	26.6	4200K/3000K/6400K	167.3	72W
MRE63660BK	36	60	1.69	25.6	33.5	26.6	34.5	4200K/3000K/6400K	192.1	72W
MRE63660BR	36	60	1.69	25.6	33.5	26.6	34.5	4200K/3000K/6400K	192.1	72W
MRE63672BK	36	72	1.69	25.6	49.2	26.6	50.2	4200K/3000K/6400K	216.5	72W
MRE63672BR	36	72	1.69	25.6	49.2	26.6	50.2	4200K/3000K/6400K	216.5	72W
MRE64260BK	42	60	1.69	25.6	33.5	26.6	34.5	4200K/3000K/6400K	204.7	72W
MRE64260BR	42	60	1.69	25.6	33.5	26.6	34.5	4200K/3000K/6400K	204.7	72W
MRE64272BK	42	72	1.69	25.6	49.2	26.6	50.2	4200K/3000K/6400K	229.1	72W
MRE64272BR	42	72	1.69	25.6	49.2	26.6	50.2	4200K/3000K/6400K	229.1	72W

