


G-5675-LM49K




Information

- Single-hole installation
- Swivel spout
- Optional G-9912 base plate
- Aerated flow rate ≤ 1.8 max gpm, side spray flow rate <1.8 max gpm
- Includes matching independent side spray w/progressive valve and dualfunction spray/stream pull-out sprayhead
- ADA
- CALGreen

G-5675-LM49K Series







Sospiro Contemporary Two-Handle Single-Hole Bar/Prep Faucet **G-5670-LM49K**





Information

- Single-hole installation
- Swivel spout
- Optional G-9912 base plate available
- Aerated flow rate ≤1.8 max gpm
- ADA
- CALGreen

Finishes







Product Features

- Single-hole installation
- Swivel spout
- Aerated flow rate ≤1.8 max gpm

Optional Accessorie

 Optional G-9912 base plate available on page 478

Available Finishes

- Polished Chrome
 G-5670-LM49K-PC
- Brushed Nickel
 G-5670-LM49K-BNi
- Polished Nickel
 G-5670-LM49K-PN
- Olive Bronze[™] G-5670-LM49K-OB


Code Compliance

- ADA
- CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to: www.graff-faucets.com/en/info/faqs







Information

- Single-hole installation
- Single lever handle
- Dual-function spray/stream pullout sprayhead
- Progressive valve controls water temperature
- Aerated flow rate ≤ 1.8 max gpm
- CALGreen

Finishes







Product Features

- Single-hole installation
- Single lever handle
- Dual-function spray/stream pullout sprayhead
- Progressive valve controls water temperature
- Aerated flow rate ≤ 1.8 max gpm

Available Finishes

- Polished Chrome G-9935-PC
- Polished NickelG-9935-PN
- Brushed Nickel G-9935-SN
- Olive Bronze*
 G-9935-OB*


Code Compliance

CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs



^{*} Special order finish- call for availability