



- 1-1/3" hole cutout (x5)
- Aerated flow rate ~ 7 gpm@ 45 psi
- Deck-mounted handshower and diverter set included

### Available Finishes


- Polished Chrome G-2551-C2-PC
- Steelnox® G-2551-C2-SN
- Olive Bronze G-2551-C2-OB
- Polished Nickel G-2551-C2-PN
   \*Special order finish, call for availability

# **Optional Accessories**

 In-line pressure balancing valve G-1060

### Warranty

Limited lifetime warranty







- 1-1/3" hole cutout (x5)
- Aerated flow rate ~ 7 gpm
   @ 45 psi
- Deck-mounted handshower and diverter set included

### Available Finishes

- Polished Chrome G-2530-LM15-PC
- Steelnox® G-2530-LM15-SN
- Olive Bronze G-2530-LM15-OB
- Polished Nickel G-2530-LM15-PN
  - \*18K Gold G-2530-LM15-AU


    \*Special order finish, call for availability

# Optional Accessories

 In-line pressure balancing valve G-1060

#### Warranty

Limited lifetime warranty







- 1-1/3" hole cutout (x5)
- Aerated flow rate ~ 7 gpm
  @ 45 psi
- Deck-mounted handshower and diverter set included

### Available Finishes


- Polished Chrome G-2551-LM34-PC
- Steelnox® G-2551-LM34-SN
- Olive Bronze G-2551-LM34-OB
- Polished Nickel G-2551-LM34-PN
   \*Special order finish, call for availability

# Optional Accessories

 In-line pressure balancing valve G-1060

### Warranty

Limited lifetime warranty







- 1-1/3" hole cutout (x5)
- Aerated flow rate ~ 7 gpm
  @ 45 psi
- Deck-mounted handshower and diverter set included

### Available Finishes

- Polished Chrome G-2551-LC1-PC
- Steelnox® G-2551-LC1-SN
- Olive Bronze G-2551-LC1-OB
- Polished Nickel G-2551-LC1-PN
   \*Special order finish, call for availability

# Optional Accessories

 In-line pressure balancing valve G-1060

### Warranty

Limited lifetime warranty

