

# GL3.112SH-RH0



#### **Information**

- 3/4" thermostatic valve and trim
- 8" showerhead with 12" wall-mounted shower arm
- Swivel body sprays (3 pieces)
- Wall-mounted slide bar set with handshower and 59" hose
- Stop/volume control valve and 2-way diverter valve
- Showerhead features no-clog, easy-clean spray nozzles
- Optional extension kit
- 3/4" thermostatic rough valve flow rate ~12.9 gpm @60 psi
- Flow rates: showerhead  $\leq$  1.8 max gpm, handshower  $\leq$  1.5 max gpm, body sprays  $\leq$  1.5 max gpm each





### **Information**

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions









- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


# Code Compliance


• CALGreen

### Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8037-RH-T



#### **Information**


- Single metal handle
- Decorative trim plate
- Use with G-8006 thermostatic rough valve
- To complete package, you must order rough valve






# G-8037-RH-T

# Thermostatic Valve -Trim - M-Series









#### **Information**

- 11.7 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Operates one function at a time
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CALGreen compliant depending on functions





Architectural White





- 12.1 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


# Code Compliance

• CALGreen

#### Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs





G-8068-RH1-T




#### **Information**


- Single metal handle
- Decorative trim plate
- Use with G-8052 2-way diverter (pass through) control rough valve WITH off function
- To complete package, you must order rough valve






# G-8068-RH1-T 2-way Diverter Valve - Trim - M-Series











#### **Information**

- 12.3 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions









- 13.2 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


# Code Compliance


• CALGreen

#### Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8097-RH1-T




#### **Information**


- Single metal handle
- · Decorative trim plate
- Use with G-8076 Stop/Volume Control rough valve with Pass-Through or G-8077 Stop/Volume Control rough valve
- To complete package, you must order rough valve





# G-8097-RH1-T Stop/Volume Control Valve - Trim - M-Series











#### **Information**

- 1/4" thick
- 169 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen










- 1/4" thick
- 169 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm



### Available Finishes

- Polished Chrome G-8449-PC
- Brushed Nickel G-8449-PN
- Polished Nickel G-8449-BNi
- Unfinished Brass\*
   G-8449-UB\*
- Steelnox
  - G-8449-SN
- Olive Brass\* G-8449-OB\*
- Architectual Black with Chrome Accents\*
  - G-8449-PC/BK\*
    Brushed Gold\*
  - G-8449-BAU

# Code Compliance

CALGreen

## Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

<sup>\*</sup> Special order finish- call for availability





#### **Information**

- 12 no-clog, easy-clean silicon jets
- Metal ball-joint allows for angle adjustment of body spray
- Brass wall escutcheon and flush-mounted trim
- 1/2" NPT female thread inlet
- Body spray flow rate ≤ 1.5 max gpm









- 12 no-clog, easy-clean silicon jets
- Metal ball-joint allows for angle adjustment of body spray
- Brass wall escutcheon and flush-mounted trim
- 1/2" NPT female thread inlet
- Aerated flow rate 2.5 gpm


#### Available Finishes


- Polished Chrome G-8495-PC
- Steelnox® G-8495-SN
- Olive Bronze G-8495-OB\*
- Polished Nickel G-8495-PN\*
- Architectural Black<sup>™</sup>
   G-8495-BK\*
- Architectural White G-8495-WT\*

#### Warranty

Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs










### **Information**

- Includes arm and solid round flange
- 1/2" NPT male thread inlet
- For use with all showerheads









### **Information**

• Brass spiral flexible hose with conical nut








 Brass spiral flexible hose with conical nut



- Polished Chrome G-8605-PC
- Brushed Nickel G-8605-BNi
- Polished Nickel G-8605-PN
- Unfinished Brass\*
   G-8605-UB\*
- Steelnox
  - G-8605-SN
- Olive Bronze
   G-8605-OB
- Architectual Black G-8605-BK
- Architectual White G-8605-WT
- Architectual Black w/ Chrome Accents
   G-8605-PC/BK
- Gold\* G-8605-AU\*
- Brushed Gold\*
   G-8605-BAU\*



#### Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs






### **Information**


- 27 11/16" tall wall-mounted slide bar
- · Adjustable bracket fits all hoses with conical nut






# G-8631 Slide Bar Series
















#### **Information**

- 27 1/4" tall wall-mounted slide bar
- · Adjustable bracket fits all hoses with conical nut













### **Information**

- Solid brass construction
- Smooth, all-metal handle
- Shower hose not included
- Handshower flow rate ≤1.5 max gpm
- CALGreen









- Solid brass construction
- Smooth, all-metal handle
- Aerated flow rate ≤1.5 max gpm
- Shower hose not included

# Code Compliance

CalGreen compliant

# Available Finishes

- Polished Chrome G-8714-PC
- Brushed Nickel
   G-8714-BNi
- Polished Nickel G-8714-PN
- Steelnox®
   G-8714-SN
- Olive Bronze™
   G-8714-OB
- Architectural Black™
   G-8714-BK
- Architectural White G-8714-WT

#### Warranty

• Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs

